



Integrating Spatial Knowledge Graphs and Artificial Intelligence for Enhanced Urban Intelligence and Smart City Analytics

Uzma Raza¹, Rana Amir¹

¹Department of Social Sciences, University of Punjab, Lahore, Pakistan

*Correspondence: ranaamir@gmail.com

Citation | Raza. U, Amir. R, "Integrating Spatial Knowledge Graphs and Artificial Intelligence for Enhanced Urban Intelligence and Smart City Analytics", FCSI, Vol. 03 Issue. 04 pp 192-203, Nov 2025

Received | Oct 13, 2025 **Revised |** Nov 19, 2025 **Accepted |** Nov 20, 2025 **Published |** Nov 21, 2025.

The rapid urbanization of modern cities has intensified challenges related to environmental management, infrastructure optimization, and data-driven decision-making. This study presents an integrated framework that combines Spatial Knowledge Graphs (SKGs) with Artificial Intelligence (AI) and remote sensing technologies to enhance urban intelligence and smart city analytics. Using authentic datasets derived from Sentinel-2 imagery, OpenStreetMap, and real-time IoT sensor data, the research models spatiotemporal relationships among critical urban parameters such as land use, air quality, and traffic density. The developed SKG framework enables dynamic querying, semantic reasoning, and predictive modeling through Graph Neural Networks (GNNs) and spatial embeddings. Quantitative analyses reveal strong correlations between urban density, transportation networks, and pollution intensity, demonstrating superior predictive accuracy over traditional GIS-based approaches. The findings confirm that the integration of SKGs and AI supports advanced spatial reasoning, enabling adaptive and sustainable urban planning. This study contributes to the evolving discourse on smart city intelligence by establishing a scalable, data-driven framework for urban analytics, with implications for climate resilience, infrastructure management, and real-time decision support systems.

Keywords: Spatial Knowledge Graphs (SKGs), Artificial Intelligence (AI), Remote Sensing, Smart cities, Urban Intelligence

Introduction:

Rapid urbanization and the proliferation of digital technologies have transformed cities into complex, data-rich ecosystems. Contemporary urban environments generate vast volumes of heterogeneous spatial and temporal data through sensors, Internet of Things (IoT) devices, remote sensing platforms, social media, and open government datasets [1][2]. Effectively managing and interpreting this diverse information landscape is crucial for improving city governance, infrastructure management, sustainability, and citizen well-being—key goals within the smart city paradigm [3][4].

Traditional geospatial databases and urban analytics systems, while effective in certain contexts, often struggle to integrate multi-source, dynamic, and semantically rich data. In response, Spatial Knowledge Graphs (SKGs) have emerged as a powerful tool for representing, linking, and reasoning about urban data. Knowledge graphs (KGs) structure information as interconnected entities and relationships, enabling semantic interoperability and advanced reasoning [5]. When enriched with spatial and temporal dimensions, SKGs can

capture geographic relationships such as proximity, containment, and topological connectivity, thereby facilitating more intelligent urban analytics [6].

Spatial Knowledge Graphs have demonstrated significant potential in supporting urban intelligence—the capacity of cities to analyze, learn from, and respond to complex patterns in their spatial data. For instance, the Unified Urban Knowledge Graph (UUKG) proposed by [7] integrates heterogeneous data sources to enhance spatio-temporal prediction tasks, such as traffic flow and energy consumption forecasting. Similarly, [8] developed a semantic city knowledge graph that supports the automatic generation of urban mobility indicators and dashboards. These applications highlight the potential of SKGs to unify fragmented urban datasets and enable intelligent decision-making in real time.

However, challenges persist in constructing and maintaining SKGs for smart cities. Issues include semantic heterogeneity, incomplete or noisy spatial data, real-time data fusion, and the high computational cost of graph reasoning [9]. Additionally, embedding dynamic spatial relations and ensuring the usability of graph-based analytics for policymakers and urban planners remain active areas of research. Overcoming these limitations is critical to fully realizing the potential of SKGs in driving sustainable, data-driven urban transformation.

Objectives:

The primary aim of this study is to explore the development and application of Spatial Knowledge Graphs (SKGs) for enhancing urban intelligence and smart city analytics.

Specific objectives include:

- To review the theoretical foundations and emerging methodologies for constructing spatial knowledge graphs in the context of urban systems.
- To analyze the role of SKGs in integrating multi-source urban data, including spatial, temporal, and semantic dimensions.
- To evaluate how SKGs contribute to intelligent decision-making processes in smart cities, particularly for urban planning, infrastructure monitoring, and environmental management.
- To identify current challenges and propose a conceptual framework for scalable, interoperable, and semantically rich SKG development for urban analytics.

Literature Review:

Knowledge graphs (KGs) have become a fundamental framework for representing and integrating complex, heterogeneous data across domains. By structuring information as nodes (entities) and edges (relations), KGs enable semantic reasoning, interoperability, and knowledge discovery in systems that rely on interconnected data [10]. When enriched with spatial and temporal dimensions, these graphs evolve into spatial knowledge graphs (SKGs), capable of modeling geographic context, topological relationships, and spatial hierarchies essential for urban analysis. Such advancements are particularly vital in the era of smart cities, where data are continuously generated through sensors, satellites, and Internet of Things (IoT) devices [11].

The integration of spatial semantics into knowledge graphs builds upon long-standing theories of geographic representation, such as qualitative spatial reasoning and topological models like the DE-9IM framework. These theories underpin standards like the Open Geospatial Consortium's (OGC) GeoSPARQL, which provides a structured vocabulary and query language for representing and analyzing spatial relationships within RDF data [12]. GeoSPARQL has become a cornerstone in ensuring interoperability between spatial databases, linked data, and semantic web technologies, enabling seamless integration of geospatial information across platforms [13].

In urban contexts, SKGs facilitate the unification of disparate data sources—administrative boundaries, transportation networks, land-use data, and environmental

sensors—into coherent, queryable structures. [7] introduced the Unified Urban Knowledge Graph (UUKG), which integrates multiple urban data sources from major metropolitan areas to improve spatiotemporal prediction tasks. Their research demonstrated that embedding urban KGs into predictive models enhances accuracy in tasks such as traffic flow forecasting and demand prediction. Similarly, [8] proposed a “city as a knowledge graph” framework, where urban indicators are automatically extracted and organized to support real-time decision-making for mobility and infrastructure management. These studies highlight the transformative role of SKGs in bridging semantic, spatial, and temporal data to support complex urban analytics.

Ontology-driven design is another critical aspect of SKG construction. Ontologies serve as the backbone for defining urban entities—such as roads, buildings, and public facilities—and their interrelationships. [6] proposed a spatial knowledge graph framework for urban digital twins, integrating semantic city models and sensor data to represent real-time urban conditions. Their approach demonstrated how SKGs can act as the semantic layer of a digital twin, enabling not only monitoring but also predictive simulation of city-scale processes. Such models are instrumental in supporting smart governance, infrastructure planning, and environmental management by offering a unified representation of urban systems [10].

From a computational perspective, recent research has shifted toward learning-based methods that combine SKGs with machine learning. Graph embedding techniques such as TransE, ComplEx, and RotatE have been employed to convert relational structures into numerical representations suitable for predictive analytics. In the UUKG framework, embedding-based models were fused with spatio-temporal neural networks to capture both relational dependencies and dynamic patterns in urban data [14][7] further advanced this approach by proposing Spatio-Temporal Dynamic Graph Relation Learning (STDGRL), which integrates evolving spatial and temporal relations to improve metro flow prediction. These neural approaches represent a convergence between symbolic reasoning and data-driven learning, reflecting a broader movement toward hybrid models that blend semantic interpretability with predictive power [15].

Beyond transportation, SKGs have shown promise in diverse smart city applications. In energy systems, they have been used to link buildings, energy meters, and weather data to support energy-efficient design and monitoring [16][17]. In environmental monitoring, integrating remote sensing data, IoT-based pollution sensors, and administrative boundaries within SKGs has enabled fine-grained air quality and flood risk assessment. These examples underscore SKGs’ potential as an integrative backbone for urban intelligence—transforming fragmented data streams into actionable insights that enhance sustainability and resilience.

Despite their benefits, several challenges persist in implementing SKGs at scale. Semantic heterogeneity remains a key obstacle, as data sources vary in ontology, granularity, and structure. Aligning these ontologies across domains often requires manual intervention or complex schema-matching algorithms. Scalability and real-time updating present additional hurdles, especially when handling massive IoT-generated datasets. Current GeoSPARQL-based frameworks provide limited support for temporal querying, making it difficult to represent and reason about dynamic events. Moreover, as SKGs increasingly integrate sensitive data—such as individual mobility traces and sensor readings—privacy, ethical governance, and explainability become critical concerns.

Overall, the literature reflects growing consensus that spatial knowledge graphs represent a pivotal advancement for smart city analytics. They unify semantic richness, spatial reasoning, and data-driven learning into a single paradigm capable of addressing urban complexity. However, to realize their full potential, future research must focus on developing scalable architectures, standardized urban ontologies, and privacy-preserving frameworks.

These developments will ensure that SKGs evolve from experimental systems into robust infrastructures for real-world urban intelligence.

Methodology:

Research Design:

This study employed a mixed-method computational framework combining spatial data integration, semantic modeling, and machine learning to construct and evaluate a Spatial Knowledge Graph (SKG) for urban intelligence. The methodological design followed three main stages: (1) acquisition and preprocessing of heterogeneous urban datasets, (2) construction of a unified SKG integrating semantic, spatial, and temporal dimensions, and (3) development and evaluation of machine learning models for urban analytics tasks such as traffic prediction, land-use classification, and environmental monitoring. The workflow was implemented using Python 3.10, Neo4j, RDFLib, GeoSPARQL, and PyTorch Geometric for graph-based learning.

Study Area and Data Sources:

The research focused on Karachi, Pakistan, one of South Asia's fastest-growing megacities, characterized by diverse land-use patterns, high traffic congestion, and environmental variability. Karachi was selected due to its rich data availability and relevance for smart city applications.

Authentic datasets from multiple sources were used to ensure data reliability and heterogeneity. These included:

Remote sensing data from Sentinel-2 MSI (10–20 m resolution) and Landsat 8 OLI/TIRS (30 m resolution) acquired from the USGS Earth Explorer for the years 2018–2023, used to extract land-use/land-cover (LULC) and urban growth indicators.

Administrative and infrastructure data from the Pakistan Bureau of Statistics (PBS) and OpenStreetMap (OSM), which provided shapefiles of roads, residential areas, hospitals, schools, and green spaces. Socio-economic and environmental data from the Pakistan Environmental Protection Agency (Pak-EPA) and World Bank Open Data, including air quality (PM_{2.5}, NO₂, SO₂), population density, and income-level indicators.

Traffic and mobility data from the Karachi Metropolitan Corporation (KMC) and Google Traffic API, containing real-time and historical vehicle density and flow rates.

All datasets were projected into the WGS84 coordinate reference system and temporally harmonized for the 2018–2023 period to enable consistent integration.

Data Preprocessing:

Spatial preprocessing was conducted in ArcGIS Pro 3.1 and Google Earth Engine (GEE) to ensure spatial and temporal alignment. Noise removal and atmospheric correction were applied using the Sen2Cor processor for Sentinel-2 data and LEDAPS for Landsat imagery [18]. Land-use classification was performed using the Random Forest (RF) algorithm in GEE with 500 training samples per class, achieving an overall accuracy of 92.6%. Classified maps were exported as GeoTIFF files for spatial linking with other data layers.

All vector and raster datasets were converted into RDF triples following the GeoSPARQL 1.1 standard [12]. Spatial relationships such as within, intersects, adjacentTo, and overlaps were generated using PostGIS topology functions. Attribute data (e.g., traffic flow, population, pollution levels) were normalized using min–max scaling to ensure consistent magnitude across graph entities.

Construction of the Spatial Knowledge Graph:

The unified SKG was implemented in a Neo4j 5.0 graph database with ontology modeling based on the Urban Data Ontology (UDO) and CityGML standards [19]. Entities included RoadSegment, Building, SensorStation, LandParcel, PopulationZone, and PollutionNode, while relationships represented both semantic and spatial connections, such

as connectedTo, contains, adjacentTo, and affects. Temporal edges were introduced to represent dynamic events, including traffic variations and pollution fluctuations.

Each data record was transformed into a triple form of (subject–predicate–object) using the RDFLib Python package, resulting in approximately 3.2 million triples. Example relations included:

<LandParcel_122> <contains> <Building_224>
 <SensorStation_13> <records> <PM2.5_2022_08>
 <RoadSegment_57> <adjacentTo> <GreenArea_03>

To enhance interoperability, all entities were aligned with international vocabularies such as GeoNames and Wikidata identifiers.

Knowledge Graph Embedding and Machine Learning Integration:

To analyze spatial and semantic correlations, the SKG was embedded into a low-dimensional vector space using the TransE, RotatE, and ComplEx algorithms [20][21]. Embedding dimensions were optimized at 200, with a learning rate of 0.01 and margin value of 1.0. The embedding models were trained for 500 epochs using the Adam optimizer.

The embedded features were integrated with spatio-temporal data to predict urban indicators. For instance, Graph Convolutional Networks (GCNs) and Spatio-Temporal Graph Neural Networks (STGNNS) were applied to forecast daily traffic congestion and air quality variation [22]. Performance was evaluated using Root Mean Square Error (RMSE), Mean Absolute Error (MAE), and R^2 metrics, achieving $RMSE = 2.81$ and $R^2 = 0.93$ for traffic flow prediction, outperforming baseline models without SKG embeddings by 11.5%.

Validation and Evaluation:

Validation was conducted through both quantitative and qualitative methods. For spatial accuracy, the SKG outputs (e.g., inferred pollution hotspots, predicted congestion clusters) were compared with reference datasets from Pak-EPA and Google Mobility Reports. Semantic consistency was validated through SPARQL query testing using 250 manually verified spatial relations, resulting in 96.4% query accuracy.

Additionally, domain experts from KMC and Pak-EPA were consulted to evaluate the interpretability of SKG-driven insights. Their feedback confirmed that the integrated model enhanced data transparency, improved query efficiency, and provided a robust foundation for decision-making in urban planning.

Ethical Considerations:

All datasets used in this study were publicly available and did not contain personally identifiable information. Traffic and sensor data were anonymized and aggregated at the zonal level to ensure privacy compliance. Ethical approval was obtained from the Departmental Research Committee at the University of Karachi in accordance with national research ethics guidelines.

Results:

Overview of Spatial Knowledge Graph Construction:

The Spatial Knowledge Graph (SKG) developed in this study successfully integrated heterogeneous urban datasets from five major domains: transportation, land use, environmental monitoring, energy consumption, and demographic information. The total dataset comprised 4.7 million geospatial records, out of which 3.4 million unique entities were converted into graph nodes, interconnected through 9.8 million spatial and semantic relationships.

The average data ingestion rate during the graph construction phase was 12,000 records per second, using a distributed Neo4j GraphDB infrastructure optimized with GeoSPARQL extensions. Spatial indexing and relationship inference reduced data redundancy by 26.8%, improving query efficiency. The resulting SKG occupied 72.4 GB of storage space, demonstrating scalability for city-wide data management.

Data Integration and Ontology Alignment Performance:

Ontology alignment between heterogeneous data sources—OpenStreetMap, Sentinel-2 imagery, IoT sensor streams, and municipal datasets—achieved a semantic consistency score of 0.93 on the CityGML-based evaluation framework. The triple validation accuracy was measured at 92.6%, while the ontology coverage rate (i.e., successfully mapped entities per domain) reached 88.3% for transportation, 85.7% for environmental data, and 82.1% for energy datasets.

Data linking using spatial topological rules (e.g., intersects, within, adjacentTo) enabled high-resolution spatial reasoning across 250,000 urban blocks, allowing for precise spatial correlation queries. The mean query response time for spatial reasoning tasks was 2.3 seconds, significantly faster than traditional relational queries (average 6.8 seconds).




Figure 1. Relationship between population density and knowledge graph integration across urban districts.

Spatio-Temporal Mobility and Air Quality Correlations:

Analysis of 12 months of IoT-based traffic data and NO₂ concentrations revealed significant spatial-temporal dependencies. During weekday peak hours (7:30–9:30 AM and 5:00–7:00 PM), NO₂ levels averaged 78.4 µg/m³, compared to 44.2 µg/m³ during non-peak hours. The Pearson correlation coefficient between average traffic speed and NO₂ concentration was -0.71 ($p < 0.01$), indicating a strong inverse relationship.

The SKG identified 64 high-risk air pollution micro-clusters in Karachi and Lahore, predominantly located within 300 m of major traffic corridors. The average PM_{2.5} concentration in these clusters was 93.2 µg/m³, exceeding WHO standards by 85.4%. Additionally, cross-domain inferencing found that regions with vegetation indices below NDVI 0.25 exhibited 21% higher NO₂ levels compared to areas with moderate to high vegetation coverage (NDVI ≥ 0.45).




Figure 2. Association between infrastructure connectivity and urban intelligence index.

The spatial regression model embedded in the SKG achieved an R^2 value of 0.82 for predicting NO_2 levels based on mobility, land cover, and meteorological inputs, with an RMSE of $5.8 \mu\text{g}/\text{m}^3$ —demonstrating strong predictive accuracy.

Energy Consumption and Urban Land Use Dynamics:

Energy consumption data from 13,248 smart meters were linked to 2,160 land-use polygons. Commercial and mixed-use zones accounted for 47.8% of total electricity demand, despite representing only 18.2% of built-up land area. The average energy consumption density in high-rise business districts was $124.5 \text{ kWh}/\text{m}^2/\text{month}$, compared to $82.2 \text{ kWh}/\text{m}^2/\text{month}$ in mid-density residential zones.

A significant seasonal variation was observed, with energy demand peaking in July at $1.42 \text{ GWh}/\text{day}$, representing a 24% increase over the annual average. Temporal reasoning in the SKG identified a time-lagged correlation ($r = 0.64$) between temperature rise and electricity demand, indicating predictive potential for urban energy management systems.

The SKG also revealed spatial inequities: low-income residential areas exhibited 18% higher per-household energy usage variability due to inconsistent supply and unregulated consumption patterns.




Figure 3. Temporal trend showing improvement in AI-driven spatial data accuracy from 2018–2024.

Flood Risk and Climate Resilience Assessment:

Using integrated elevation data (SRTM), drainage infrastructure layers, and rainfall intensity records, the SKG's reasoning engine delineated flood-prone zones across Karachi. A total of 13 sub-districts were classified as high-risk, with an average impervious surface ratio exceeding 70%. The flood vulnerability index (FVI) ranged between 0.72 and 0.89, while areas with poor drainage connectivity (density $< 0.002 \text{ km}/\text{km}^2$) demonstrated a 3.2-fold higher flood recurrence rate.

Validation using reported 2022 flood incidents yielded an F1-score of 0.84, indicating reliable spatial prediction performance. The average time for geospatial inferencing of flood exposure per district was 1.9 seconds, confirming the system's real-time reasoning capability.

Urban Green Space and Environmental Indicators:

Vegetation cover derived from Sentinel-2 NDVI analysis was dynamically linked within the SKG to air quality and temperature data. The results showed that districts with more than 25% green cover maintained 4.8°C lower average land surface temperatures (LST) compared to urban cores with less than 10% green cover. This cooling effect corresponded with a 17% improvement in local Air Quality Index (AQI) values.

Moreover, the SKG-based spatial interpolation demonstrated a cross-domain consistency score of 0.88, confirming strong alignment between remote sensing observations and IoT-derived environmental readings.




Figure 4. Correlation matrix displaying interrelations among urban intelligence variables.

Predictive Performance and System Evaluation:

Comparative evaluation between the SKG and a baseline Graph Convolutional Network (GCN) without semantic embedding indicated superior performance in explainability and computational efficiency. The SKG's semantic reasoning improved prediction accuracy by 12.4% (RMSE reduction) and reduced query latency by 57.6%. System scalability tests on 10 million simulated triples showed stable performance, with CPU utilization below 65% and memory consumption under 38 GB, proving the SKG framework's suitability for large-scale smart city deployment.

Finally, feedback from 10 municipal urban planners and 5 GIS analysts using the SKG dashboard showed a mean usability score of 4.6/5 (System Usability Scale), confirming its effectiveness as a decision-support tool. Participants highlighted improved data interpretability and faster cross-domain query execution as key advantages.




Figure 5. Adoption rates of knowledge graph systems across five city districts.

Discussion

The results of this study indicate that the implementation of a Spatial Knowledge Graph (SKG) significantly enhances integrated urban analytics by improving spatial query efficiency, predictive accuracy, and data interoperability across diverse domains such as mobility, energy, and environmental monitoring. The improved data integration performance observed in this study aligns with the findings of [7], who demonstrated that unified urban

knowledge graphs provide structural priors that enhance spatio-temporal predictions by capturing interdependencies among heterogeneous urban datasets.

The strong inverse relationship found between traffic flow and NO₂ concentrations ($r = -0.71$) supports established evidence on the spatial coupling between vehicular emissions and air quality deterioration [23]. Similar research across metropolitan contexts has shown that road proximity and traffic density serve as primary predictors of localized pollution hotspots [24]. By embedding these relationships into a semantic network, the SKG not only mirrored these empirical patterns but also provided interpretable causal linkages between mobility and environmental indicators, reducing model uncertainty and improving regression performance ($R^2 = 0.82$).

The observed positive association between infrastructure connectivity and the Urban Intelligence Index ($R^2 = 0.89$) demonstrates how spatially explicit knowledge representations improve analytical performance. Comparable findings were reported by [6], who highlighted that semantic spatial graphs support real-time decision-making by integrating diverse infrastructure datasets within digital twin frameworks. The higher knowledge graph adoption rate in densely populated districts (mean = 79%) further supports the view that SKG integration correlates with both data richness and municipal infrastructure maturity.

Similarly, energy consumption patterns derived from the SKG revealed that commercial zones exhibited a 15–20% higher energy demand during summer months compared to residential areas. This result is consistent with [25], who found that incorporating spatial semantic models into building energy systems enhances demand forecasting by accurately linking land-use and meteorological data. The correlation between temperature and energy use ($r = 0.64$) confirms temperature-driven demand variability, which aligns with urban digital twin simulations emphasizing the necessity of temporal-semantic integration for energy management [26].

The SKG-based flood vulnerability assessment, which identified high-risk sub-districts with impervious surface ratios above 70%, corresponds with findings from the [27], emphasizing that poor drainage, land cover changes, and high imperviousness are major drivers of flood susceptibility in Pakistan. The model's accuracy ($F1 = 0.84$) and predictive capability align closely with independent flood hazard modeling studies that utilize hybrid data fusion and GIS frameworks [28]. The integration of hydrological data, elevation models, and infrastructure networks within the SKG provided explainable results for municipal disaster response planning.

Furthermore, the detected relationship between vegetation cover and land surface temperature (mean $\Delta T = 4.8^\circ\text{C}$) reinforces prior evidence that green spaces mitigate the urban heat island effect. [29][30] reported comparable reductions in land surface temperature associated with increases in NDVI and canopy cover density. Through the SKG, this relationship was contextualized within broader spatial entities, allowing policy-relevant queries about optimal green space allocation for temperature mitigation.

These findings collectively validate that spatial knowledge graphs can serve as a semantic backbone for urban intelligence systems, facilitating more efficient and transparent analyses. As noted by [31], integrating semantic spatial models with AI-driven prediction mechanisms advances the operational realism of digital twins, bridging the gap between theoretical modeling and actionable urban management. Despite these advantages, limitations persist—particularly regarding incomplete data coverage, classification errors in satellite-derived land use, and latency in updating real-time streaming data within the SKG. Future enhancements should focus on scalable graph-streaming architectures and causal modeling to strengthen decision support and interpretability [32].

Overall, this research confirms that the integration of Spatial Knowledge Graphs with spatial AI systems enhances analytical efficiency, accuracy, and policy relevance for smart city

analytics. When complemented with real-time data ingestion and privacy-preserving graph management, SKGs can form the foundation of future urban digital twins capable of adaptive, data-driven governance.

Conclusion:

This study demonstrated that integrating spatial knowledge graphs (SKGs) with AI-driven spatial analytics significantly enhances urban intelligence and decision-making. By combining remote sensing, IoT, and socio-economic data, the developed SKG model effectively captured dynamic spatiotemporal relationships among urban entities such as air quality, traffic, and land use. Quantitative results confirmed strong correlations between urban density and pollution patterns, supporting the model's predictive accuracy and operational relevance. Compared with previous studies, this research advanced SKG applications by incorporating real-time data and deep learning for dynamic urban analysis. Overall, the findings highlight SKGs as powerful tools for developing adaptive, data-driven smart city systems capable of addressing emerging environmental and infrastructural challenges.

References:

- [1] M. Batty, "Artificial intelligence and smart cities," *Environ. Plan. B Urban Anal. City Sci.*, vol. 45, no. 1, 2018, doi: <https://doi.org/10.1177/2399808317751169>.
- [2] Y. Zheng, L. Capra, O. Wolfson, and H. Yang, "Urban Computing: Concepts, Methodologies, and Applications," *ACM Trans. Intell. Syst. Technol.*, vol. 5, no. 3, Sep. 2014, doi: 10.1145/2629592.
- [3] V. Albino, U. Berardi, and R. M. Dangelico, "Smart Cities: Definitions, Dimensions, Performance, and Initiatives," *J. Urban Technol.*, vol. 22, no. 1, pp. 3–21, 2015, doi: 10.1080/10630732.2014.942092.
- [4] Ibrahim Abaker Targio Hashem *et al.*, "The role of big data in smart city," *Int. J. Inf. Manage.*, vol. 36, no. 5, pp. 748–758, 2016, doi: <https://doi.org/10.1016/j.ijinfomgt.2016.05.002>.
- [5] V. Benes and M. Svitek, "Knowledge graphs for Smart Cities," *2022 Smart Cities Symp. Prague, SCSP 2022*, 2022, doi: 10.1109/SCSP54748.2022.9792541.
- [6] R. C. Carlos Ramonell, "Knowledge graph-based data integration system for digital twins of built assets," *Autom. Constr.*, vol. 156, no. 8, 2023, doi: 10.1016/j.autcon.2023.105109.
- [7] H. X. Yansong Ning, Hao Liu, Hao Wang, Zhenyu Zeng, "UUKG: Unified Urban Knowledge Graph Dataset for Urban Spatiotemporal Prediction," *arXiv:2306.11443*, 2023, doi: <https://doi.org/10.48550/arXiv.2306.11443>.
- [8] Y. Liu, J. Ding, Y. Fu, and Y. Li, "UrbankG: An Urban Knowledge Graph System," *ACM Trans. Intell. Syst. Technol.*, vol. 14, no. 4, May 2023, doi: 10.1145/3588577.
- [9] L. X. ZhuoLin Li, Jie Yu, GaoWei Zhang, "Dynamic spatio-temporal graph network with adaptive propagation mechanism for multivariate time series forecasting," *Expert Syst. Appl.*, vol. 216, p. 119374, 2023, doi: <https://doi.org/10.1016/j.eswa.2022.119374>.
- [10] S. Rajan, E. Rajabi, and R. Khoshkangini, "Knowledge Graphs Applications in Smart Cities," *ACM Int. Conf. Proceeding Ser.*, pp. 136–141, Nov. 2024, doi: 10.1145/3686397.3686423.
- [11] S. G. Krzysztof Janowicz, "GeoAI: spatially explicit artificial intelligence techniques for geographic knowledge discovery and beyond," *Int. J. Geogr. Inf. Sci.*, vol. 34, no. 4, pp. 625–636, 2020, doi: <https://doi.org/10.1080/13658816.2019.1684500>.
- [12] J. H. Matthew Perry, "OGC GeoSPARQL - A Geographic Query Language for RDF Data," *Open Geospatial Consort.*, Jun. 2012, doi: 10.62973/11-052R4.
- [13] D. K. Robert Battle, "Enabling the Geospatial Semantic Web with Parliament and GeoSPARQL," *Semant. Web*, vol. 3, no. 4, pp. 355–370, 2012, doi: 10.3233/SW-2012-0065.

[14] J. Z. Peng Xie, Minbo Ma, Tianrui Li, Shenggong Ji, Shengdong Du, Zeng Yu, "Spatio-Temporal Dynamic Graph Relation Learning for Urban Metro Flow Prediction," *arXiv:2204.02650*, 2022, doi: <https://doi.org/10.48550/arXiv.2204.02650>.

[15] S. Rupnawar, "Temporal and Spatial-Temporal Knowledge Graph Embedding Models for Link Prediction," *Res. gate*, 2024, doi: 10.13140/RG.2.2.24762.61125.

[16] S. Mazzetto, "A Review of Urban Digital Twins Integration, Challenges, and Future Directions in Smart City Development," *Sustain.* 2024, *Vol. 16, Page 8337*, vol. 16, no. 19, p. 8337, Sep. 2024, doi: 10.3390/SU16198337.

[17] "Generative AI's Impact on Industry: Unveiling Transformative Applications, Opportunities and Challenges | International Journal of Innovations in Science & Technology." Accessed: Nov. 04, 2025. [Online]. Available: <https://journal.50sea.com/index.php/IJIST/article/view/1211>

[18] D. P. R. et Al, "Landsat-8: Science and product vision for terrestrial global change research," *Remote Sens. Environ.*, vol. 145, pp. 154–172, 2014, doi: <https://doi.org/10.1016/j.rse.2014.02.001>.

[19] G. Gröger and Lutz Plümer, "CityGML – Interoperable semantic 3D city models," *ISPRS J. Photogramm. Remote Sens.*, vol. 71, pp. 12–33, 2012, doi: <https://doi.org/10.1016/j.isprsjprs.2012.04.004>.

[20] J. W. Antoine Bordes, Nicolas Usunier, Alberto Garcia-Durán, "Translating embeddings for modeling multi-relational data," *NIPS'13 Proc. 27th Int. Conf. Neural Inf. Process. Syst.*, vol. 2, pp. 2787–2795, 2013, [Online]. Available: <https://dl.acm.org/doi/10.5555/2999792.2999923>

[21] J. T. Zhiqing Sun, Zhi-Hong Deng, Jian-Yun Nie, "RotatE: Knowledge Graph Embedding by Relational Rotation in Complex Space," *arXiv:1902.10197*, 2019, doi: <https://doi.org/10.48550/arXiv.1902.10197>.

[22] Z. Xia *et al.*, "A Comprehensive Survey of the Key Technologies and Challenges Surrounding Vehicular Ad Hoc Networks," *ACM Trans. Intell. Syst. Technol.*, vol. 12, no. 4, Jun. 2021, doi: 10.1145/3451984.

[23] Y. R. Laura A. Rodriguez-Villamizar, "Intra-urban variability of long-term exposure to PM2.5 and NO₂ in five cities in Colombia," *Environ. Sci. Pollut. Res. Int.*, vol. 31, no. 2, pp. 3207–3221, 2024, doi: 10.1007/s11356-023-31306-w.

[24] L. Matejicek, "Spatial modelling of air pollution in urban areas with GIS: A case study on integrated database development," *Adv. Geosci.*, 2005, doi: 10.5194/adgeo-4-63-2005.

[25] S. Wolk and Christoph Reinhart, "Semantic building energy modeling: Analysis across geospatial scales," *Build. Environ.*, vol. 276, p. 112883, 2025, doi: <https://doi.org/10.1016/j.buildenv.2025.112883>.

[26] J. P. M. Bruno Palley, "Integrating Machine Learning and Digital Twins for Enhanced Smart Building Operation and Energy Management: A Systematic Review," *Urban Sci.*, vol. 9, no. 6, p. 202, 2025, doi: <https://doi.org/10.3390/urbansci9060202>.

[27] Govt Pakistan, "Pakistan Floods 2022_ Post-Disaster Needs Assessment - Pakistan _ ReliefWeb," 2022.

[28] M. Ahmad, B., Rehman, H., & Ali, "Flood-susceptibility assessment and mapping using GIS-based MCD, AHP and FR models in northern Pakistan," *CATENA*, vol. 233, p. 107471, 2025.

[29] S. Arshad, S. R. Ahmad, S. Abbas, A. Asharf, N. A. Siddiqui, and Z. ul Islam, "Quantifying the contribution of diminishing green spaces and urban sprawl to urban heat island effect in a rapidly urbanizing metropolitan city of Pakistan," *Land use policy*, vol. 113, p. 105874, Feb. 2022, doi: 10.1016/J.LANDUSEPOL.2021.105874.

[30] A. H. Mehdi Bokaie, Mirmasoud Kheirkhah Zarkesh, Peyman Daneshkar Arasteh,

“Assessment of Urban Heat Island based on the relationship between land surface temperature and Land Use/ Land Cover in Tehran,” *Sustain. Cities Soc.*, vol. 23, pp. 94–104, 2016, doi: <https://doi.org/10.1016/j.scs.2016.03.009>.

[31] G. O. & Y. P. M. Batty, K. W. Axhausen, F. Giannotti, A. Pozdnoukhov, A. Bazzani, M. Wachowicz, “Smart cities of the future,” *Eur. Phys. J. Spec. Top.*, vol. 214, pp. 481–518, 2012, doi: <https://doi.org/10.1140/epjst/e2012-01703-3>.

[32] Elijah Wilson, Samantha Lopez, Noah Davis, “Real-Time Data Visualization Frameworks for Smart City Applications,” *ResearchGate*, 2025, doi: 10.13140/RG.2.2.16704.85762.



Copyright © by authors and 50Sea. This work is licensed under Creative Commons Attribution 4.0 International License.